

Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.

AD 9070
1
1152
Reserve

COTTON QUALITY

SUPPLY - DISAPPEARANCE - CARRY-OVER

1962-63



U.S. DEPT. OF AGRICULTURE
FEB 25 1971
& KPHL

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee

STATISTICAL TABLES

<u>Table</u>	<u>Page</u>
1. Carry-over of upland cotton by specified grades and staples, August 1, 1961-1963	2
2. Grade index and average staple of upland cotton, August 1, 1954-1963	2
3. Grade and staple of upland cotton in the carry-over, August 1, 1963	3
4. Grade and staple of upland cotton in the carry-over, August 1, 1962	4
5. Grade and staple of upland cotton in consuming establishments, August 1, 1963 .	5
6. Grade and staple of upland cotton in public storage and "elsewhere", August 1, 1963	6
7. Grade and staple of upland cotton in the supply, United States, 1962-63	7
8. Carry-over, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1953-1963	8
9. Carry-over, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1953-1963	9
10. Tenderability of upland cotton in the carry-over, United States, August 1, 1954-1963	10
11. Grade and staple of American-Egyptian cotton in the carry-over, August 1, 1963 .	10
12. Grade and staple of American-Egyptian cotton in the carry-over, August 1, 1962 .	10
13. Staple of cotton of foreign growth in the carry-over, August 1, 1956-1963 . . .	11

United States Department of Agriculture
Agricultural Marketing Service
Market News Section - Cotton Division
P.O. Box 17723 - Memphis, Tennessee 38117

COTTON QUALITY, UNITED STATES

Supply - Disappearance - Carry-over

1962-63

Introduction

This report contains information on the quality of cotton on hand in the United States on August 1, 1963, and on the quality of cotton in the crop, supply, and disappearance during the 1962-63 season. To facilitate comparison certain data for previous years are included.

Quality estimates for the carry-over include statistics on the grade and staple of upland and American-Egyptian cotton and on the staple of cotton of foreign growth in the United States on August 1, 1963. Estimates of the quality of cotton in public storage were compiled as follows: (1) the grade and staple distribution of 1961 and earlier upland cotton in the CCC inventory was estimated from a sample obtained from the reclassification records on cotton sold in the spring and summer under Sales Announcement NO-C-22, (2) the grade and staple distribution of 1962-crop upland and American-Egyptian cotton which remained in CCC stocks on July 31, 1963 was based on the classification of this cotton as it originally entered the price support program, and (3) the quality of the free stocks was estimated from a sampling of merchants' stocks. Estimates of the quality of 1961 and earlier American-Egyptian and the foreign growths in public storage were obtained from sampling a representative portion of this cotton. Quality of cotton stored in consuming establishments was based on grade and staple data furnished by the establishments in which the cotton was stored. Sample data were raised to the total number of bales in the carry-over as reported by the Bureau of the Census for upland, American-Egyptian and foreign growths.

The carry-over of upland cotton in the United States on August 1, 1963 contained smaller proportions of Middling and higher White grades than any carry-over since 1958. White grades below Middling comprised the largest proportion of end-season stocks since 1957. Light Spotted cotton increased sharply over a year earlier. Spotted and other Colored cotton accounted for a smaller percentage of end-season stocks. The grade index of upland cotton in the 1963 carry-over was down moderately from last year and was the lowest since the 1959 carry-over.

Nearly a third of the upland cotton in the 1963 carry-over was in the shorter lengths. Cotton stapling one inch and shorter was equivalent to 33 percent of the total against 27 percent a year earlier. The proportion of the end-season stocks in the lengths 1-1/32" and 1-1/16" was up somewhat - 58 percent against 55 percent a year ago. Cotton stapling 1-3/32" and longer comprised about 9 percent of the total carry-over compared with 18 percent for the 1962 carry-over. The average staple of upland cotton in the 1963 carry-over was 32.7 thirty-seconds inches against 33.2 thirty-seconds a year earlier.

American-Egyptian cotton on hand in the United States on August 1, 1963 averaged lower in grade and shorter in staple than a year earlier. Grade No. 3 and higher accounted for about 68 percent of total end-season stocks against 82 percent at the end of the preceding season. American-Egyptian cotton in the lengths 1-7/16" and longer comprised 71 percent of the 1963 carry-over against 80 percent a year earlier.

Cotton tenderable in settlement of futures contracts in the 1963 carry-over totaled about 9,068,000 bales, equivalent to 83 percent of the total. This is based on the quality of cotton tenderable with respect to grade and staple only and does not take into consideration cotton reduced for cause or cotton below minimum micronaire requirements.

The United States carry-over of all kinds of cotton totaled 11,180,000 bales on August 1, 1963, according to the Bureau of the Census. This compares with 7,831,000 bales a year earlier and 7,228,000 two years ago. Stocks of upland cotton in the 1963 carry-over totaled 10,972,000 bales, American-Egyptian stocks were 120,000 bales, and foreign growths totaled 88,000 bales.

Table 1. -- Carry-over of upland cotton by specified grades and staples,
August 1, 1961 - August 1, 1963

Grade and staple	1961		1962		1963 1/	
	Quantity	Percentage	Quantity	Percentage	Quantity	Percentage
	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent
White:						
Strict Middling & higher	801	11.3	1,364	17.7	775	7.0
Middling Plus	119	1.7	212	2.7	193	1.8
Middling	1,978	28.1	2,649	34.3	2,187	20.1
Strict Low Middling Plus	162	2.3	277	3.6	329	3.0
Strict Low Middling	922	13.0	844	11.0	1,698	15.5
Low Middling Plus	64	.9	112	1.4	180	1.6
Low Middling & lower	223	3.0	291	3.7	693	6.3
Light Spotted:						
Strict Middling & higher	806	11.4	387	5.0	893	8.1
Middling	1,294	18.3	650	8.4	2,095	19.1
Strict Low Middling	273	3.9	257	3.3	1,055	9.6
Low Middling	53	.8	105	1.4	284	2.6
Spotted 2/	195	2.7	297	3.9	441	4.1
Other Colored 3/	188	2.6	280	3.6	149	1.2
All Grades	7,078	100.0	7,725	100.0	10,972	100.0
13/16" & shorter	1	*	3	*	2	*
7/8"	10	0.1	59	0.8	62	0.6
29/32"	35	.5	139	1.8	572	5.2
15/16"	231	3.3	744	9.6	1,641	15.0
31/32"	321	4.5	432	5.6	579	5.3
1"	668	9.4	699	9.1	773	7.0
1-1/32"	2,361	33.4	1,455	18.8	2,408	21.9
1-1/16"	2,817	39.8	2,823	36.5	3,957	36.1
1-3/32"	458	6.5	976	12.6	746	6.8
1-1/8"	133	1.9	261	3.4	160	1.5
1-5/32"	33	.5	112	1.4	59	.5
1-3/16"	8	.1	12	.2	6	.1
1-7/32"	1	*	5	.1	3	*
1-1/4" & longer	1	*	5	.1	4	*
All Staples	7,078	100.0	7,725	100.0	10,972	100.0

1/ Preliminary.

2/ Includes all grades.

3/ Includes Below Grade.

Table 2. -- Grade index and average staple of upland cotton, August 1, 1954-1963

Year	Grade index (Middling White=100)			Average staple (Thirty-seconds inches)		
	Mill Stocks	Public Storage Stocks	Total Carry-over	Mill Stocks	Public Storage Stocks	Total Carry-over
1954	95.1	95.5	95.4	33.2	32.2	32.3
1955	95.4	95.9	95.9	33.2	32.1	32.2
1956	95.5	93.9	94.0	33.2	32.2	32.2
1957	95.7	91.5	91.9	33.3	31.8	32.0
1958	95.1	90.2	91.1	33.3	31.3	31.7
1959	92.8	95.3	95.0	32.8	31.7	31.9
1960	95.8	98.4	97.9	33.5	32.9	33.0
1961	97.0	97.8	97.6	33.5	33.2	33.3
1962	96.8	96.9	96.9	33.6	33.1	33.2
1963	96.5	95.3	95.4	33.9	32.6	32.7

Table 3. -- Grade and staple of upland cotton in the carry-over, August 1, 1963 1/

Grade	13/16 inch and shorter	7/8	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:															
G.M.	-	19	159	466	610	920	2,707	6,047	3,541	2,755	6,118	53	-	-	23,395 0.2
S.M.	41	381	2,808	15,159	16,312	35,344	162,570	394,837	84,404	22,644	15,070	749	333	701	751,353 6.8
M.+	-	3	20	565	828	1,903	23,601	86,027	59,358	11,211	8,340	468	261	-	192,585 1.8
M.	93	5,684	14,357	66,350	57,865	105,380	459,942	1,163,266	250,198	47,812	11,884	1,188	702	997	2,185,918 20.1
S.L.M.+	9	1,191	6,238	6,460	15,074	54,121	173,912	59,311	11,592	11,592	952	222	7	11	329,203 3.0
S.L.M.	200	5,528	84,396	306,230	89,002	96,524	361,577	621,657	110,160	17,944	3,150	380	241	551	1,697,540 15.5
L.M.+	2	388	8,430	28,359	7,208	8,736	58,812	59,352	8,346	638	77	22	19	57	180,446 1.6
L.M.	158	2,537	32,101	99,850	26,902	54,560	158,639	138,401	15,501	1,650	234	118	58	123	530,832 4.8
S.G.O.+	-	76	640	2,013	884	2,043	5,615	6,615	655	43	-	-	-	-	18,630 .2
S.G.O.	9	98	2,257	9,800	7,022	29,268	46,306	21,780	2,030	420	17	16	3	13	119,039 1.1
G.O.+	-	-	35	87	65	272	445	210	27	14	-	-	-	-	1,155 .1
G.O.	97	17	366	1,771	3,336	7,146	7,501	3,014	377	108	4	5	6	-	23,748 .2
Total	609	14,834	146,760	537,088	216,494	357,170	1,341,882	2,675,118	593,908	116,831	45,846	3,221	1,630	2,453	6,053,844 55.3
Light Spotted:															
G.M.	233	638	3,545	6,165	3,077	1,842	2,216	1,705	2,471	1,175	489	31	25	21	23,633 .2
S.M.	97	3,438	34,557	119,160	70,184	90,156	229,439	269,960	29,349	18,005	3,714	689	574	429	869,751 7.9
M.	586	10,817	124,944	362,210	127,984	129,864	496,216	744,269	78,579	12,200	4,862	995	181	172	2,093,879 19.1
S.L.M.	328	13,613	152,810	394,781	88,194	78,486	161,748	145,763	16,562	2,279	466	218	72	70	1,055,390 9.6
L.M.	86	1,638	28,064	77,692	28,655	41,888	62,429	39,138	3,845	554	91	58	26	36	284,200 2.6
Total	1,330	30,144	343,920	960,008	318,094	342,236	952,048	1,200,835	130,806	34,213	9,622	1,991	878	728	4,326,853 39.4
Spotted:															
G.M.	-	-	70	163	337	341	265	227	82	231	183	4	4	-	1,907 .
S.M.	3	1,556	8,497	18,200	13,590	19,940	33,445	23,940	3,759	5,443	2,623	280	137	387	131,800 1.2
M.	130	7,774	31,565	45,962	8,322	9,211	17,810	12,234	1,703	1,764	1,110	213	42	18	137,858 1.3
S.L.M.	187	4,523	27,692	46,176	7,577	9,727	14,834	7,090	640	373	12	10	-	3	118,844 1.1
L.M.	44	796	6,568	14,609	5,238	7,841	11,329	3,928	237	59	2	4	2	2	50,659 .5
Total	364	14,649	74,392	125,110	35,064	47,060	77,683	47,419	6,421	7,870	3,930	511	185	410	441,068 4.1
Tinged:															
G.M.	-	-	-	-	16	27	85	-	-	-	-	-	-	-	128 .
S.M.	2	133	406	332	221	627	411	124	17	50	-	-	-	-	2,321 .
M.	8	326	1,706	4,704	1,149	1,845	212	141	17	-	-	-	-	-	10,318 .1
S.L.M.	14	270	1,511	2,399	630	2,675	1,682	210	11	23	-	-	-	-	9,475 .1
L.M.	14	270	534	5,309	995	1,455	932	96	2	4	-	-	-	-	9,611 .1
Total	24	1,271	4,157	12,744	3,011	6,629	3,322	571	47	77	-	-	-	-	31,853 .3
Yellow Stained:															
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	48	50	-	292	-	-	-	-	-	-	-	-	390 .
M.	3	26	92	230	33	266	122	-	-	-	-	-	-	-	772 .
Total	3	26	140	280	33	558	122	-	-	-	-	-	-	-	1,162 .
Light Gray:															
G.M.	-	-	-	3	-	33	72	35	6	14	5	-	-	-	168 .
S.M.	8	110	308	1,030	1,010	2,615	8,123	9,150	677	73	16	2	-	-	23,122 .2
M.	14	92	511	1,746	1,732	6,439	12,655	9,956	452	79	5	-	-	-	33,681 .3
S.L.M.	-	71	139	437	860	2,959	4,186	11,975	13,334	385	10	-	-	-	34,356 .3
Total	22	273	958	3,216	3,602	12,046	25,036	31,116	14,469	551	36	2	-	-	91,327 .8
Gray:															
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	43	44	92	134	354	180	6	2	-	-	-	-	855 .
M.	19	61	156	359	407	1,186	1,401	908	10	2	-	-	-	-	4,509 .
S.L.M.	-	35	121	338	402	1,483	1,126	328	19	2	-	-	-	-	3,854 .
Total	19	96	320	741	901	2,803	2,881	1,416	35	6	-	-	-	-	9,218 .
Below Grade	57	244	1,143	1,761	1,620	4,768	4,947	1,150	353	277	-	-	-	-	16,320 .1
All grades	2,428	61,537	571,790	1,640,948	578,819	773,270	2,407,921	3,957,625	746,039	159,825	59,434	5,725	2,693	3,591	10,971,645 2/ 100.0
All grades	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	0.6	5.2	15.0	5.3	7.0	36.1	21.9	36.1	6.8	1.5	.5	.1	.1	.1	100.0

1/ Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.

2/ As reported by the Bureau of the Census, running bales.

3/ Less than 0.05 percent.

Grade Index..... 95.4
Average staple..... 32.7

Table 4. -- Grade and staple of upland cotton in the carry-over, August 1, 1962 1/

Grade	13/16 inch and shorter		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-3/32 inches		1-1/8 inches		1-5/32 inches		1-3/16 inches		1-7/32 inches		1-1/4 inches and longer		All staples		
	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	
White:																															
G.M.	-		6		165		1,482		1,365		2,316		3,334		8,462		8,981		3,026		11,417		1,118		501		489		42,662		0.6
S.M.	6		1,578		4,209		46,805		46,962		69,702		194,888		606,841		231,138		66,724		46,178		3,572		1,890		699		1,321,192		17.1
M.	-		31		156		5,019		1,587		6,462		22,364		81,140		73,162		14,891		6,643		227		218		367		212,267		2.7
M.	10		10,381		7,566		72,139		68,183		132,321		490,389		1,254,272		454,257		120,425		32,772		2,985		1,230		1,048		2,647,978		34.3
S.L.M.+	-		11		457		4,902		2,772		20,582		38,295		139,397		58,069		11,243		1,121		155		151		1		277,166		3.6
S.L.M.	9		2,352		15,398		114,837		57,046		94,381		182,954		288,431		69,576		14,692		3,346		728		113		334		844,197		11.0
L.M.+	-		226		1,198		9,040		5,798		16,597		40,405		31,490		6,126		846		174		51		-		-		111,951		1.4
L.M.	-		807		3,100		27,620		16,308		34,679		69,479		51,118		6,147		2,743		252		3		-		-		212,256		2.7
S.G.O.+	-		-		64		386		435		2,801		703		771		641		49		-		-		-		-		5,850		.1
S.G.O.	-		1		302		4,431		3,484		20,438		24,529		7,161		747		123		-		-		-		-		61,216		.8
G.O.+	-		-		-		112		51		98		261		159		-		-		-		-		-		-		681		.8
G.O.	124		176		117		1,080		1,168		5,521		2,664		489		7		1		-		-		1		-		11,348		.1
Total	149		15,569		32,732		287,853		205,159		405,998		1,070,265		2,469,721		908,871		234,763		101,903		8,939		4,104		2,938		5,748,764		74.4
Light Spotted:																															
G.M.	-		45		178		2,311		1,540		1,244		769		942		996		341		87		-		-		151		8,604		.1
S.M.	16		1,299		8,578		54,668		42,337		33,602		83,204		111,496		23,455		7,418		4,610		1,453		280		202		378,628		4.9
M.	28		3,842		32,680		172,318		63,701		51,781		105,580		164,666		34,513		14,881		4,038		1,370		251		628		650,277		8.4
S.L.M.	53		4,005		19,375		83,779		30,591		37,645		45,715		29,120		4,058		1,989		730		245		-		51		257,356		3.3
L.M.	-		364		2,165		13,279		9,817		29,512		34,747		13,555		543		495		-		73		-		-		104,550		1.4
Total	97		9,555		62,976		326,355		147,986		159,784		270,015		319,779		63,575		25,124		9,465		3,141		531		1,032		1,399,415		18.1
Spotted:																															
G.M.	-		-		-		756		17		394		230		124		129		51		51		-		-		51		1,803		.1
S.M.	13		1,033		940		5,659		1,786		2,185		4,564		2,530		617		371		45		98		-		-		19,841		.3
M.	147		10,748		12,581		35,483		13,377		8,870		6,697		4,592		658		483		147		100		-		261		94,144		1.2
S.L.M.	83		7,750		10,412		26,033		10,832		12,937		22,970		6,373		259		307		-		25		51		72		98,104		1.3
L.M.	20		1,133		2,807		10,524		8,343		24,394		29,816		5,832		251		302		-		-		-		-		83,430		1.1
Total	263		20,664		26,740		78,463		34,355		48,780		64,277		19,451		1,914		1,514		243		223		51		384		297,322		3.9
Tinged:																															
G.M.	-		-		45		99		-		9		-		-		-		-		-		-		-		-		153		.1
S.M.	64		423		691		2,288		505		919		608		114		-		-		-		-		-		-		5,612		.1
M.	487		4,304		4,862		9,724		1,996		1,836		1,047		193		47		-		-		21		102		153		24,772		.3
S.L.M.	325		3,342		3,936		8,331		3,395		4,249		2,649		336		73		-		-		-		-		-		26,636		.3
L.M.	210		1,327		2,362		7,093		5,332		9,576		3,804		896		-		-		-		-		-		-		30,600		.4
Total	1,086		9,396		11,896		27,535		11,228		16,589		8,108		1,539		120		-		-		21		102		153		97,773		1.1
Yellow Stained:																															
G.M.	-		-		-		-		-		-		-		-		-		-		-		-		-		-		-		-
S.M.	51		174		51		926		482		178		269		-		-		-		-		-		-		-		965		.1
M.	501		1,590		455		-		-		-		-		51		-		-		-		-		-		-		4,183		.1
Total	552		1,764		506		926		482		598		269		51		-		-		-		-		-		-		5,148		.1
Light Gray:																															
G.M.	-		-		-		7		17		5		104		235		215		-		-		-		-		-		583		.1
S.M.	-		73		302		3,770		2,980		5,577		8,352		3,609		259		13		-		-		-		-		24,935		.3
M.	-		-		292		2,557		3,163		5,346		7,976		4,045		375		58		-		-		-		-		23,812		.3
S.L.M.	69		70		114		884		543		5,604		4,464		1,253		88		58		-		-		-		-		13,147		.2
Total	69		143		708		7,218		6,703		16,532		20,896		9,142		937		129		-		-		-		-		62,477		.8
Gray:																															
G.M.	-		-		-		-		-		-		62		-		-		-		-		-		-		-		62		.1
S.M.	-		-		51		113		268		187		263		450		27		-		-		-		-		-		1,359		.1
M.	-		132		393		597		885		1,605		2,304		1,034		-		-		-		-		-		-		6,950		.1
S.L.M.	69		-		88		1,398		1,310		4,845		4,016		625		60		30		-		-		-		-		12,441		.2
Total	69		132		532		2,108		2,463		6,637		6,645		2,109		87		30		-		-		-		-		20,812		.3
Below Grade	649		2,072		2,439		14,036		23,742		44,011		14,923		1,316		149		51		-		-		-		-		103,388		1.3
All Grades	2,924		59,295		138,529		744,494		432,119		698,829		1,455,398		2,823,108		975,653		261,611		111,611		12,224		4,788		4,507		7,725,099 2/		100.0
Percent	Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent
All Grades	Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent
1/ Revised.																															
2/ As reported by the Bureau of the Census, running bales.																															
* Less than 0.05 percent.																															
															Grade Index																
															Average staple																
															96.9																
															33.2																

Table 5. -- Grade and staple of upland cotton in consuming establishments, August 1, 1963 1/

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:															
G.M.	-	-	-	-	-	109	1,239	1,598	2,525	282	4,461	9	-	-	10,223
S.M.	-	34	3	244	882	2,005	11,722	74,160	24,847	8,008	12,743	707	323	685	136,363
M.+	-	-	-	19	-	328	13,237	46,336	46,253	10,183	8,085	440	261	-	125,142
M.	-	4,329	54	3,682	623	9,277	26,241	103,939	67,276	28,286	7,556	968	667	902	253,800
S.L.M.+	-	-	-	855	2,675	10,339	25,043	94,199	39,022	9,285	452	49	-	-	181,919
S.L.M.	-	425	3	8,776	2,243	13,517	37,734	116,465	36,098	7,623	715	-	-	85	223,684
L.M.+	-	-	-	303	-	1,927	30,610	20,964	3,449	34	-	-	-	-	57,287
L.M.	-	49	-	3,917	9	7,573	18,442	15,112	2,861	407	-	-	-	-	48,370
S.G.O.+	-	-	-	-	-	302	102	2,196	-	-	-	-	-	-	2,600
S.G.O.	-	-	-	1,216	13	5,502	9,204	703	238	-	-	-	-	-	16,876
G.O.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	97	-	-	3	146	547	190	37	-	-	-	-	-	-	1,020
Total	97	4,837	60	19,015	6,591	51,426	173,764	475,709	222,569	64,108	34,012	2,173	1,251	1,672	1,057,284
Light Spotted:															
G.M.	233	-	-	-	-	3	17	-	149	-	-	-	-	-	402
S.M.	-	750	-	965	98	1,108	452	1,574	2,139	1,342	71	-	-	-	8,725
M.	-	4,066	142	7,805	719	4,183	2,118	3,664	371	113	3	9	-	-	25,083
S.L.M.	-	466	2,733	7,697	21	1,309	499	196	704	-	-	-	-	-	13,625
L.M.	-	43	-	584	-	418	2,815	1,074	-	-	-	-	-	-	4,891
Total	233	1,061	9,212	17,051	838	7,021	5,901	6,508	3,363	1,455	74	9	-	-	52,726
Spotted:															
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	3	570	8	-	118	-	-	-	254	1,703
M.	-	4,066	142	1,607	5	8	305	89	27	-	-	-	-	-	6,249
S.L.M.	-	2,178	873	1,080	251	130	1,627	54	96	-	-	-	-	-	6,289
L.M.	-	43	-	744	-	288	2,220	-	-	-	-	-	-	-	3,295
Total	-	7,037	1,015	3,431	256	429	4,722	151	123	118	-	-	-	254	17,536
Tinged:															
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	320	-	7	-	-	-	-	-	-	327
M.	-	193	-	905	-	48	-	-	-	-	-	-	-	-	1,146
S.L.M.	-	84	-	917	134	-	1,038	-	-	-	-	-	-	-	2,173
L.M.	-	58	-	3,751	-	69	142	-	-	-	-	-	-	-	4,020
Total	-	335	-	5,573	134	437	1,180	7	-	-	-	-	-	-	7,666
Yellow Stained:															
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	291	-	-	-	-	-	-	-	-	291
M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	291	-	-	-	-	-	-	-	-	291
Light Gray:															
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gray:															
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	-	-	-	-	-	452	252	-	-	-	-	-	-	-	250
Total	-	-	-	-	-	452	252	-	-	-	-	-	-	-	704
Below Grade	-	18	-	250	-	729	1,421	88	-	-	-	-	-	-	954
All grades	330	13,286	10,287	45,337	7,821	60,806	188,534	497,382	239,493	66,059	34,093	2,182	1,251	1,926	1,168,789
All grades	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	1.1	1.1	.9	3.9	.7	5.2	16.1	42.5	20.5	5.7	2.9	.2	.1	.2	100.0
1/ Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.															Grade index.....
2/ As reported by the Bureau of the Census.															Average staple.....
															96.5
															33.9

1/ Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.

2/ As reported by the Bureau of the Census.

Less than 0.05 percent.

Table 7. -- Grade and staple of upland cotton in the supply, United States, 1962-63 1/

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
															Bales	Percent
White:																
G.M.	-	6	165	1,566	1,554	2,961	6,811	16,346	11,354	4,249	13,425	1,178	522	509	60,646	0.3
S.M.	6	1,811	5,892	58,339	66,272	120,373	393,117	929,803	339,436	87,970	62,151	4,265	1,979	1,281	2,072,595	9.2
M.+	-	41	183	5,078	1,957	7,447	34,792	108,273	81,421	15,645	6,824	246	218	367	262,492	1.2
M.	76	11,163	21,649	143,067	132,844	263,057	1,181,788	2,746,995	1,284,887	211,841	90,427	6,032	1,515	3,352	6,098,693	27.2
S.L.M.+	-	39	1,906	10,893	6,017	27,234	86,903	241,347	110,582	21,393	5,437	344	202	243	512,540	2.3
S.L.M.	107	6,186	113,773	473,518	170,837	226,773	926,365	1,973,512	614,782	106,185	46,476	2,913	736	2,281	4,664,444	20.7
L.M.+	-	521	12,186	45,143	15,022	26,726	99,889	160,362	34,695	6,285	1,476	131	58	68	402,562	1.8
L.M.	-	1,941	42,145	153,186	54,297	108,949	348,142	400,038	63,330	11,162	2,364	337	79	387	1,186,357	5.3
S.G.O.+	-	39	1,000	3,310	1,764	5,502	12,224	9,490	1,881	183	-	-	-	-	35,393	0.2
S.G.O.	10	97	3,243	16,580	15,112	58,744	86,520	45,363	5,769	1,165	101	87	9	38	232,838	1.0
G.O.+	-	9	52	283	180	593	964	464	24	11	9	-	-	-	2,598	0.1
G.O.	124	206	504	3,611	5,977	16,833	12,901	4,734	593	182	-	9	12	-	45,686	0.2
Total	323	22,059	202,698	914,574	471,833	865,192	3,190,416	6,636,727	2,548,754	486,171	228,690	15,542	5,339	8,536	15,576,844	69.4
Light Spotted:																
G.M.	-	45	198	2,371	1,583	1,302	832	972	1,036	371	110	-	-	151	8,971	0.4
S.M.	150	3,269	27,306	109,061	80,727	61,761	120,696	151,140	27,404	9,943	5,644	1,513	300	214	599,128	2.7
M.	578	16,608	194,437	704,587	239,098	135,569	355,999	524,599	75,407	36,661	12,601	1,761	327	885	2,299,117	10.2
S.L.M.	575	15,684	225,784	782,984	198,038	127,971	296,104	364,035	47,109	10,145	3,043	665	237	309	2,072,683	9.2
L.M.	99	4,971	55,804	168,583	64,859	85,917	118,050	82,591	9,095	1,911	158	188	59	38	592,323	2.6
Total	1,402	40,577	503,529	1,767,586	584,305	412,520	891,681	1,123,337	160,051	59,031	21,556	4,127	923	1,597	5,572,222	24.7
Spotted:																
G.M.	-	-	-	756	17	423	251	124	-	-	51	-	-	51	1,853	0.1
S.M.	13	1,176	1,603	6,479	2,084	2,730	5,526	3,062	738	434	65	98	-	-	24,008	1.1
M.	426	14,401	42,785	94,603	20,594	11,797	13,533	12,717	2,000	1,042	174	100	-	261	214,233	1.0
S.L.M.	365	12,667	60,853	136,535	26,913	19,302	34,116	16,655	1,634	779	51	43	68	89	310,070	1.4
L.M.	190	3,507	19,786	44,481	15,994	31,068	38,047	10,639	561	507	10	18	-	-	164,808	0.7
Total	994	31,751	125,027	282,854	65,602	65,320	91,273	43,197	5,062	2,813	351	259	68	401	714,972	3.2
Tinged:																
G.M.	-	45	99	-	-	9	-	-	-	-	-	-	-	-	153	0.1
S.M.	64	432	731	2,328	505	919	640	135	-	-	-	-	-	-	5,754	0.2
M.	506	4,676	7,755	11,491	2,196	1,965	1,223	348	136	10	-	21	102	153	30,582	1.1
S.L.M.	343	4,414	9,604	12,073	3,682	4,970	3,158	579	140	-	-	-	-	-	38,963	1.2
L.M.	263	1,850	3,967	8,733	5,753	10,010	3,991	1,003	55	19	-	-	-	-	35,644	1.2
Total	1,176	11,372	22,102	34,724	12,136	17,873	9,012	2,065	331	29	-	21	102	153	111,096	0.5
Yellow Stained:																
G.M.	-	-	-	-	-	-	9	-	-	-	-	-	-	-	31	0.1
S.M.	51	174	51	1,154	482	191	269	60	7	-	-	-	-	-	981	0.4
M.	529	1,841	1,048	1,154	482	191	-	60	-	-	-	-	-	-	5,305	0.2
Total	580	2,015	1,099	1,163	482	611	278	60	29	-	-	-	-	-	6,317	0.1
Light Gray:																
G.M.	-	-	-	18	27	46	187	383	245	40	-	-	-	-	946	0.4
S.M.	-	84	401	4,767	5,062	12,876	37,125	45,718	11,679	625	194	10	-	-	118,541	0.5
M.	-	64	930	5,378	6,837	18,372	39,547	41,136	4,898	393	163	-	-	-	117,718	0.5
S.L.M.	69	70	170	1,520	1,994	11,719	11,681	4,609	375	77	11	-	-	-	32,295	0.1
Total	69	218	1,501	11,683	13,920	43,013	88,540	91,846	17,197	1,135	368	10	-	-	269,500	1.1
Gray:																
G.M.	-	-	-	-	10	22	83	20	-	-	-	-	-	-	135	0.1
S.M.	-	-	69	171	385	605	1,293	1,214	80	12	11	-	-	-	3,840	0.2
M.	-	132	485	1,099	1,336	3,523	5,007	2,583	65	10	-	-	-	-	14,240	0.1
S.L.M.	80	20	150	1,896	1,950	6,669	5,153	953	152	30	-	-	-	-	17,053	0.1
Total	80	152	704	3,166	3,681	10,819	11,536	4,770	297	52	11	-	-	-	35,268	0.2
Below Grade																
	843	3,377	7,941	30,713	39,390	72,745	28,192	7,997	1,263	610	70	126	9	-	193,276	0.9
All grades	5,467	111,521	864,601	3,046,463	1,191,349	1,488,093	4,310,928	7,909,999	2,732,984	529,841	251,046	20,085	6,441	10,677	22,479,495	100.0
All grades	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	0.5	3.8	13.6	5.3	6.6	19.2	35.2	12.2	2.4	1.1	0.1	0.1	0.1	0.1	100.0	100.0
1/ 1962 carry-over plus 1962-63 crop.																
Less than 0.05 percent.																
																Grade index
																Average staple
																33.0

Table 8. -- Carry-over, crop, supply and disappearance of upland cotton, by grade groupings, United States 1953-1963

Year beginning August 1	White 1/						Spotted 1/			Other Colored 2/	All grades 3/
	Good Middling and higher	Strict Middling	Middling	Strict Low Middling	Low Middling	Strict Good Ordinary & Good Ordinary	Strict Middling and higher	Middling	Strict Low Middling		
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
CARRY-OVER											
1953	51	761	1,906	1,186	389	144	169	306	266	300	5,478
1954	70	1,327	3,501	2,249	1,190	253	167	291	303	199	9,550
1955	66	1,370	4,106	3,118	1,080	210	255	336	267	191	10,999
1956	47	1,228	4,502	4,151	1,672	414	269	761	908	430	14,382
1957	48	746	2,317	2,297	947	349	627	1,691	1,227	1,002	11,251
1958	28	559	1,212	1,218	576	187	527	1,199	1,585	1,501	8,592
1959	29	905	2,759	1,590	350	71	522	917	769	806	8,718
1960	40	1,292	2,997	1,225	330	49	461	522	220	254	7,390
1961	37	764	2,094	1,084	258	30	870	1,386	304	251	7,078
1962	43	1,321	2,861	1,121	324	79	409	744	355	468	7,725
1963	23	751	2,379	2,027	711	163	1,027	2,232	1,174	435	10,972
CROP											
1953	63	2,099	5,716	4,175	2,154	604	281	338	436	387	16,253
1954	43	1,531	4,889	4,276	1,173	314	296	458	255	342	13,577
1955	42	905	4,078	4,504	1,804	469	235	940	924	600	14,501
1956	123	1,719	4,489	3,201	913	206	642	1,060	405	344	13,102
1957	63	828	2,731	2,329	745	166	245	938	1,474	1,282	10,801
1958	23	1,107	4,375	3,373	814	116	213	688	408	237	11,354
1959	53	1,253	4,749	3,959	1,205	153	333	1,276	816	649	14,446
1960	39	1,060	3,908	3,631	1,128	147	430	1,814	1,266	776	14,199
1961	69	1,595	4,676	2,483	731	117	493	1,811	1,281	1,007	14,263
1962	18	751	3,501	4,056	1,265	237	225	1,769	2,027	905	14,754
SUPPLY 4/											
1953	114	2,860	7,622	5,361	2,543	748	450	644	702	687	21,731
1954	113	2,858	8,390	6,525	2,363	567	463	749	558	541	23,127
1955	108	2,275	8,184	7,622	2,884	679	490	1,276	1,191	791	25,500
1956	170	2,947	8,991	7,352	2,585	620	911	1,821	1,313	774	27,484
1957	111	1,574	5,048	4,626	1,692	515	872	2,629	2,701	2,284	22,052
1958	51	1,666	5,587	4,591	1,390	303	740	1,887	1,993	1,738	19,946
1959	82	2,158	7,508	5,549	1,555	224	855	2,193	1,585	1,455	23,164
1960	79	2,352	6,905	4,856	1,458	196	891	2,336	1,486	1,030	21,589
1961	106	2,359	6,770	3,567	989	147	1,363	3,197	1,585	1,258	21,341
1962	61	2,072	6,362	5,177	1,589	316	634	2,513	2,382	1,373	22,479
DISAPPEARANCE 5/											
1953	44	1,533	4,121	3,112	1,353	495	283	353	398	489	12,181
1954	47	1,488	4,284	3,407	1,283	357	208	413	291	350	12,128
1955	61	1,047	3,682	3,471	1,212	265	221	515	283	361	11,118
1956	122	2,201	6,674	5,055	1,638	271	284	130	86	-228	16,233
1957	83	1,015	3,835	3,408	1,116	328	345	1,430	1,116	783	13,459
1958	22	761	2,828	3,001	1,040	232	218	970	1,224	932	11,228
1959	42	866	4,511	4,324	1,225	175	394	1,671	1,365	1,201	15,774
1960	42	1,588	4,873	3,772	1,200	166	21	950	1,182	779	14,511
1961	63	1,038	3,909	2,446	665	68	954	2,453	1,230	790	13,616
1962	38	1,321	3,983	3,150	878	153	-393	281	1,208	888	11,507

1/ Plus grades of White included with straight grades; Light Spotted with Spotted.

2/ Other Colored includes Low Middling Spotted, Low Middling Light Spotted, all grades of Tinged, Yellow Stained, Light Gray and Gray.

3/ As reported by the Bureau of the Census.

4/ Carry-over at the beginning of the season plus crop.

5/ Supply minus carry-over at the end of the season.

Table 9. -- Carry-over, crop, supply and disappearance of upland cotton,
by staple groupings, United States, 1953-1963

Season beginning August 1	13/16" and shorter 1,000 bales	7/8" and 29/32" 1,000 bales	15/16" and 31/32" 1,000 bales	1" and 1-1/32" 1,000 bales	1-1/16" and 1-3/32" 1,000 bales	1-1/8" and 1-5/32" 1,000 bales	1-3/16" and 1-7/32" 1,000 bales	1-1/4" and longer 1,000 bales	All lengths 1/ 1,000 bales
CARRY-OVER									
1953	207	867	681	1,730	1,802	150	30	11	5,478
1954	187	1,326	1,376	3,104	3,157	354	36	10	9,550
1955	220	1,759	1,743	3,419	3,266	526	55	11	10,999
1956	449	2,202	2,046	4,168	4,761	677	68	11	14,382
1957	249	1,521	2,003	4,718	2,446	280	26	8	11,251
1958	124	1,431	2,157	3,088	1,588	177	20	7	8,592
1959	50	1,491	2,181	2,412	2,346	224	12	2	8,718
1960	5	185	1,239	2,279	3,417	240	21	3	7,390
1961	1	45	552	3,030	3,274	166	9	1	7,078
1962	3	198	1,177	2,154	3,798	373	17	5	7,725
1963	2	633	2,220	3,181	4,705	219	8	4	10,972
CROP									
1953	81	1,698	2,172	5,814	6,100	364	23	1	16,253
1954	264	1,756	1,918	5,298	3,890	415	32	4	13,577
1955	372	1,683	1,561	3,807	6,506	547	22	3	14,501
1956	162	1,049	1,580	5,198	4,641	458	12	2	13,102
1957	56	837	1,866	3,498	4,132	406	5	1	10,801
1958	13	505	2,466	3,178	4,682	504	5	1	11,354
1959	21	830	2,596	3,808	6,706	479	5	1	14,446
1960	2	340	3,031	4,095	6,222	503	4	2	14,199
1961	2	591	3,261	3,075	6,829	491	9	5	14,263
1962	3	778	3,061	3,645	6,843	408	10	6	14,754
SUPPLY 2/									
1953	288	2,565	2,853	7,544	7,902	514	53	12	21,731
1954	451	3,082	3,294	8,402	7,047	769	68	14	23,127
1955	592	3,442	3,304	7,226	9,772	1,073	77	14	25,500
1956	611	3,251	3,626	9,366	9,402	1,135	80	13	27,484
1957	305	2,358	3,869	8,216	6,578	686	31	9	22,052
1958	137	1,936	4,623	6,266	6,270	681	25	8	19,946
1959	71	2,321	4,777	6,220	9,052	703	17	3	23,164
1960	8	525	4,270	6,374	9,639	743	25	5	21,589
1961	3	636	3,813	6,105	10,103	657	18	6	21,341
1962	6	976	4,238	5,799	10,641	781	27	11	22,479
DISAPPEARANCE 3/									
1953	101	1,239	1,477	4,440	4,745	160	17	2	12,181
1954	231	1,323	1,551	4,983	3,781	243	13	3	12,128
1955	143	1,240	1,258	3,058	5,011	396	9	3	11,118
1956	362	1,730	1,623	4,648	6,956	855	54	5	16,233
1957	181	927	1,712	5,127	4,990	509	11	2	13,459
1958	87	445	2,442	3,854	3,924	457	13	6	11,228
1959	65	2,136	3,538	3,941	5,635	463	-4	0	15,774
1960	7	480	3,718	3,344	6,365	577	16	4	14,511
1961	0	438	2,636	3,951	6,305	284	1	1	13,616
1962	4	343	2,018	2,618	5,936	562	19	7	11,507

1/ As reported by the Bureau of the Census.

2/ Carry-over at the beginning of the season plus crop.

3/ Supply minus carry-over at the end of the season.

Table 10. -- Tenderability of upland cotton in the carry-over, United States, August 1, 1954-1963

Year	Tenderable 1/		Untenderable		Total 2/	
	Bales	Percent	Bales	Percent	Bales	Percent
1954	8,397,006	87.9	1,152,990	12.1	9,549,996	100.0
1955	9,845,421	89.5	1,153,872	10.5	10,999,293	100.0
1956	11,758,679	81.8	2,623,068	18.2	14,381,747	100.0
1957	6,642,554	59.0	4,608,499	41.0	11,251,053	100.0
1958	4,038,903	47.0	4,553,142	53.0	8,592,045	100.0
1959	6,097,244	69.9	2,620,679	30.1	8,717,923	100.0
1960	6,328,730	85.6	1,061,434	14.4	7,390,164	100.0
1961	6,510,280	92.0	567,352	8.0	7,077,632	100.0
1962	6,778,070	87.7	947,029	12.3	7,725,099	100.0
1963	9,067,769	82.6	1,903,876	17.4	10,971,645	100.0

1/ Qualities tenderable with respect to grade and staple in settlement of cotton futures.

2/ As reported by the Bureau of the Census, 1963 data preliminary.

Table 11. -- Grade and staple of American-Egyptian cotton in the carry-over, United States, August 1, 1963 1/

Grade	1-5/16" and shorter	1-3/8"	1-7/16"	1-1/2"	1-9/16" and longer	Total
	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
1	-	426	2,123	640	38	3,227
2	19	2,331	23,251	2,202	326	28,129
3	143	10,975	31,404	7,285	18	49,825
4	188	8,795	12,023	2,227	22	23,255
5	356	5,235	1,749	686	4	8,030
6	119	2,386	368	285	2	3,160
7	245	1,708	79	2	1	2,035
8	109	533	46	-	-	688
9	182	362	33	-	-	577
10	665	181	-	-	1	847
Total	2,026	32,932	71,076	13,327	412	119,773 2/
Percent	1.7	27.5	59.4	11.1	.3	100.0

1/ Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.

2/ As reported by the Bureau of the Census. Includes approximately 100 bales of Sealand and Sea Island cotton.

Table 12. -- Grade and staple of American-Egyptian cotton in the carry-over, United States, August 1, 1962 1/

Grade	1-5/16" and shorter	1-3/8"	1-7/16"	1-1/2"	1-9/16" and longer	Total
	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
1	1,284	34	4,275	996	127	6,716
2	869	3,124	13,567	2,079	107	19,746
3	1,565	1,315	21,307	2,041	60	26,288
4	536	1,366	6,232	132	12	8,278
5	139	271	347	146	-	903
6	4	425	-	8	-	437
7	3	942	95	-	-	1,040
8	-	86	-	-	-	86
9	99	258	-	-	-	357
10	51	173	-	-	-	224
Total	4,550	7,994	45,823	5,402	306	64,075 2/
Percent	7.1	12.5	71.5	8.4	.5	100.0

1/ Revised. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.

2/ As reported by the Bureau of the Census. Includes approximately 100 bales of Sealand and Sea Island cotton.

Table 13. -- Staple of foreign growth cotton in the carry-over
August 1, 1956-1963

Growth and length (inches)	1956	1957	1958	1959	1960	1961	1962	1963 ^{1/}
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
Egyptian:								
1-3/32 and shorter	38	-	-	-	-	-	672	2,109
1-1/8 and 1-5/32	-	87	-	-	-	-	-	-
1-3/16 and 1-7/32	226	562	64	1,528	-	-	-	-
1-1/4 to 1-11/32	1,580	12	509	-	661	1,728	119	6,877
1-3/8 to 1-15/32	7,618	8,634	6,764	19,656	17,961	20,733	17,770	54,983
1-1/2 to 1-19/32	4,437	6,690	657	697	110	628	3,452	7,622
1-5/8 to 1-23/32	310	459	-	-	-	-	-	-
1-3/4 and longer	-	-	-	-	-	-	-	-
All lengths	14,209	16,444	7,994	21,881	18,732	23,089	22,013	71,591
Peruvian:								
1-1/8 and 1-5/32	2	3	-	-	-	-	39	127
1-3/16 and 1-7/32	256	256	-	503	109	-	290	333
1-1/4 to 1-11/32	-	8	103	-	-	-	199	160
1-3/8 to 1-15/32	2,543	3	398	991	-	670	838	1,149
1-1/2 to 1-19/32	1,080	2,904	990	946	913	2,198	1,997	573
1-5/8 to 1-23/32	2,177	1,137	1,528	3,241	1,302	1,767	926	2,115
1-3/4 and longer	1,070	-	609	-	-	366	-	1,285
All lengths	7,128	4,311	3,628	5,681	2,324	5,001	4,289	5,742
Indian:								
13/16 and shorter	17,299	13,756	16,808	13,153	13,032	9,246	15,086	10,128
Other Foreign:								
13/16 and shorter	-	32	-	-	-	-	75	-
7/8 and 29/32	42	-	-	-	-	-	-	-
15/16 and 31/32	59	-	177	-	435	-	233	125
1 and 1-1/32	84	689	1,998	130	652	2,954	91	247
1-1/16 and 1-3/32	40	369	3,156	423	1,522	381	370	250
1-1/8 and 1-5/32	-	50	1,031	181	-	-	31	128
1-3/16 and 1-7/32	-	1,295	37	757	-	-	-	-
1-1/4 and longer	36	2,042	56	26	-	-	-	-
All lengths	261	4,477	6,455	1,517	2,609	3,335	800	750
All Foreign ^{2/}	38,568	38,988	34,885	42,232	36,697	40,671	42,188	88,211

^{1/} Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills for 1962 and 1963.

^{2/} As reported by the Bureau of the Census.

